*Plant Molecular Biology* **30**: 1343–1351, 1996.

# Contents of Volume 30

*Vol. 30 No. 1 January (I) 1996*

*Research articles*

**The conserved ELK-homeodomain of KNOTTED-1 contains two regions that signal nuclear localization** 1–14
L. Meisel, E. Lam

**The *pc-1* phenotype of *Chlamydomonas reinhardtii* results from a deletion mutation in the nuclear gene for NADPH:protochlorophyllide oxidoreductase** 15–37
J. Li, M.P. Timko

**Carboxyl-terminal processing protease for the D1 precursor protein: cloning and sequencing of the spinach cDNA** 39–50
N. Inagaki, Y. Yamamoto, H. Mori, K. Satoh

**Isolation, characterization and expression of cDNA clones encoding a mitochondrial malate translocator from *Panicum miliaceum* L.** 51–64
M. Taniguchi, T. Sugiyama

**Higher-plant chloroplast and cytosolic 3-phosphoglycerate kinases: a case of endosymbiotic gene replacement** 65–75
H. Brinkmann, W. Martin

**Sequence-specific interactions of wound-inducible nuclear factors with mannopine synthase 2' promoter wound-responsive elements** 77–96
M. Ni, D. Cui, S.B. Gelvin

**Two closely related cDNAs encoding starch branching enzyme from *Arabidopsis thaliana*** 97–108
D.K. Fisher, M. Gao, K.-N. Kim, C.D. Boyer, M.J. Guiltinan

**Impaired splicing of the *rps 12* transcript in ribosome-deficient plastids** 109–123
T. Hübschmann, W.R. Hess, T. Börner

**Tissue-specific expression of the *rolA* gene mediates morphological changes in transgenic tobacco** 125–134
A. Guivarc'h, M. Carneiro, F. Vilaine, V. Pautot, D. Chriqui

**Light-modulated abundance of an mRNA encoding a calmodulin-regulated, chromatin-associated NTPase in pea** 135–148
H.-L. Hsieh, C.-G. Tong, C. Thomas, S.J. Roux

**Transgenic rice established to express corn cystatin exhibits strong inhibitory activity against insect gut proteinases** 149–157
K. Irie, H. Hosoyama, T. Takeuchi, K. Iwabuchi, H. Watanabe, M. Abe, K. Abe, S. Arai

**Molecular characterization of cDNAs encoding low-molecular-weight heat shock proteins of soybean** 159–169
P.R. LaFayette, R.T. Nagao, K. O'Grady, E. Vierling, J.L. Key

**Molecular analysis of a pistil-specific gene expressed in the stigma and stylar cortex of *Solanum tuberosum*** 171–176
G.J. van Eldik, M. Wingens, R.K. Ruiter, M.M.A. van Herpen, J.A.M. Schrauwen, G.J. Wullems

*Short communications*

**Cell cycle-dependent accumulation of a kinesin-like protein, KatB/C, in synchronized tobacco BY-2 cells** 177–181
H. Mitsui, S. Hasezawa, T. Nagata, H. Takahashi

**Pumpkin hydroxypyruvate reductases with and without a putative C-terminal signal for targeting to microbodies may be produced by alternative splicing** 183–189
M. Hayashi, R. Tsugeki, M. Kondo, H. Mori, M. Nishimura

**Nucleotide sequence of Chinese rape mosaic virus (oilseed rape mosaic virus), a crucifer tobamovirus infectious on *Arabidopsis thaliana*** 191–197
I. Aguilar, F. Sánchez, A. Martín Martín, D. Martínez-Herrera, F. Ponz

**Tetracycline-regulated reporter gene expression in the moss *Physcomitrella patens*** 199–205
M. Zeidler, C. Gatz, E. Hartmann, J. Hughes

**Cold requirement for maximal activity of the bacterial ice nucleation protein INAZ in transgenic plants** 207–211
K. van Zee, D.A. Baertlein, S.E. Lindow, N. Panopoulos, T.H.H. Chen

**Transaldolase genes from the cyanobacteria *Anabaena variabilis* and *Synechocystis* sp. PCC 6803: comparison with other eubacterial and eukaryotic homologues** 213–218
U. Köhler, R. Cerff, H. Brinkmann

**A cDNA from pea petals with sequence similarity to pollen allergen, cytokinin-induced and genetic tumour-specific genes: identification of a new family of related sequences** 219–224
A.J. Michael

*Volume 30 No. 2 January (II) 1996*

*Editorial*

**A guide to naming sequenced plant genes** 225–227
C.A. Price, E.M. Reardon, D.M. Lonsdale

*Research articles*

**Molecular cloning and characterization of a gibberellin-inducible, putative α-glucosidase gene from barley** 229–241
B.K. Tibbot, R.W. Skadsen

**Random chemical mutagenesis of a specific *psb*DI region coding for a lumenal loop of the D2 protein of photosystem II in *Synechocystis* sp. PCC 6803** 243–254
S. Ermakova-Gerdes, S. Shestakov, W. Vermaas

**Structure and characterization of a putative drought-inducible H1 histone gene** 255–268
T. Wei, M.A. O'Connell

**Cloning and characterization of a maize cDNA encoding phytoene desaturase, an enzyme of the carotenoid biosynthetic pathway** 269–279
Z.-H. Li, P.D. Matthews, B. Burr, E.T. Wurtzel

**Purification and characterization of a tRNA nucleotidyltransferase from *Lupinus albus* and functional complementation of a yeast mutation by the corresponding cDNA** 281–295
K. Shanmugam, P.J. Hanic-Joyce, P.B.M. Joyce

**Structural characterization of genes corresponding to cotton fiber mRNA, E6: reduced E6 protein in transgenic plants by antisense gene** 297–306
M.E. John

**Identification of a tobacco cDNA encoding a cytosolic NADP-isocitrate dehydrogenase** 307–320
S. Gálvez, M. Hodges, P. Decottignies, E. Bismuth, M. Lancien, R.S. Sangwan, F. Dubois, P. LeMaréchal, C. Crétin, P. Gadal

*Short communications*

**Promoter regions of cysteine endopeptidase genes from legumes confer germination-specific expression in transgenic tobacco seeds** 321–329
D. Yamauchi, Y. Terasaki, T. Okamoto, T. Minamikawa

**Induction of homologous low temperature and ABA-responsive genes in frost resistant (*Solanum commersonii*) and frost-sensitive (*Solanum tuberosum* cv. Bintje) potato species** 331–336
M.M. Baudo, L.A. Meza-Zepeda, E. Tapio Palva, P. Heino

**Sequence analysis of the second largest subunit of tomato RNA polymerase II** 337–342
D. Warrilow, R.H. Symons

**Differential regulation of two ABA-inducible genes from *Craterostigma plantagineum* in transgenic *Arabidopsis* plants** 343–349
A. Furini, F. Parcy, F. Salamini, D. Bartels

**Characterization of two class II chitinase genes from peanut and expression studies in transgenic tobacco plants** 351–358
J.-W. Kellmann, T. Kleinow, K. Engelhardt, C. Philipp, D. Wegener, J. Schell, P.H. Schreier

**High-level secretion of a virally encoded anti-fungal toxin in transgenic tobacco plants** 359–366
C.-M. Park, J.O. Berry, J.A. Bruenn

**Isolation and characterization of the *Adh2* 5' region from *Petunia hybrida*** 367–371
E. Foster Atkinson, L.A. Cameron, J.N. Strommer

**Characterization of a cDNA encoding cysteine proteinase inhibitor from Chinese cabbage (*Brassica campestris* L. ssp. *pekinensis*) flower buds** 373–379
C.O. Lim, S.I. Lee, W.S. Chung, S.H. Park, I. Hwang, M.J. Cho

**Genomic structure of the rice aldolase isozyme C-1 gene and its regulation through a $Ca^{2+}$-mediated protein kinase-phosphatase pathway** 381–385
H. Nakamura, W. Satoh, S. Hidaka, Y. Kagaya, S.-i. Ejiri, K.-i. Tsutsumi

*Volume 30 No. 3 February (I) 1996*

**Regulation, expression and function of a new basic chitinase gene in rice (*Oryza sativa* L.)** 387–401
Y. Xu, Q. Zhu, W. Panbangred, K. Shirasu, C. Lamb

***Phaseolus* ENOD40 is involved in symbiotic and non-symbiotic organogenetic processes: expression during nodule and lateral root development** 403–417
K. Papadopoulou, A. Roussis, P. Katinakis

**A second and differentially expressed glutamyl-tRNA reductase gene from *Arabidopsis thaliana*** 419–426
A.M. Kumar, G. Csankovszki, D. Söll

**Stress responses in alfalfa (*Medicago sativa* L.). XX. Transcriptional activation of phenylpropanoid pathway genes in elicitor-induced cell suspension cultures** 427–438
W. Ni, T. Fahrendorf, G.M. Ballance, C.J. Lamb, R.A. Dixon

***ZmHox*: a novel class of maize homeobox genes** 439–453
B. Klinge, B. Überlacker, C. Korfhage, W. Werr

**Binding site on pea chloroplast fructose-1,6-bisphosphatase involved in the interaction with thioredoxin** 455–465
R. Hermoso, M. Castillo, A. Chueca, J.J. Lázaro, M. Sahrawy, J.L. Gorgé

**Over-production of the D1:2 protein makes *Synechococcus* cells more tolerant to photoinhibition of photosystem II** 467–478
A.J. Soitamo, G. Zhou, A.K. Clarke, G. Öquist, P. Gustafsson, E.-M. Aro

**Characterization of a plastid-specific HSP90 homologue: identification of a cDNA sequence, phylogenetic descendence and analysis of its mRNA and protein expression** 479–492
G. Schmitz, M. Schmidt, J. Feierabend

**The *PR-1a* promoter contains a number of elements that bind GT-1-like nuclear factors with different affinity** 493–504
A.S. Buchel, R. Molenkamp, J.F. Bol, H.J.M. Linthorst

**Cloning and characterization of the rice *CatA* catalase gene, a homologue of the maize *Cat3* gene** 505–521
K. Higo, H. Higo

**The CMS-associated 16 kDa protein encoded by *orfH522* in the PET1 cytoplasm is also present in other male-sterile cytoplasms of sunflower** 523–538
R. Horn, J.E.G. Hustedt, A. Horstmeyer, J. Hahnen, K. Zetsche, W. Friedt

**A promoter identified in the 3′ end of the *Ac* transposon can be activated by *cis*-acting elements in transgenic *Arabidopsis* lines** 539–551
S. Cocherel, P. Perez, F. Degroote, S. Genestier, G. Picard

**Characterization of the potato mitochondrial transcription unit containing 'native' *trnS* (GCU), *trnF* (GAA) and *trnP* (UGG)** 553–563
C. Remacle, L. Maréchal-Drouard

**Isolation of a new mitotic-like cyclin from *Arabidopsis*: complementation of a yeast cyclin mutant with a plant cyclin** 565–575
I.S. Day, A.S.N. Reddy, M. Golovkin

**Transcript mapping and processing of mitochondrial RNA in the chlorophyte alga *Prototheca wickerhamii*** 577–595
G. Wolff, U. Kück

**Leaf senescence in *Brassica napus*: expression of genes encoding pathogenesis-related proteins** 597–609
C. Hanfrey, M. Fife, V. Buchanan-Wollaston

**Gibberellin-repressible gene expression in the barley aleurone layer** 611–623
G.R. Heck, T.-H.D. Ho

**Molecular characterization of the gene coding for GPRP, a class of proteins rich in glycine and proline interacting with membranes in *Arabidopsis thaliana*** 625–636
I. Marty, A. Monfort, V. Stiefel, D. Ludevid, M. Delseny, P. Puigdomènech

**Differential gene expression of chloroplast and cytostolic phosphoglycerate kinase in tobacco** 637–640
D.H. Bringloe, S.K. Rao, T.A. Dyer, C.A. Raines, J.W. Bradbeer

**Application of modified differential display technique for cloning and sequencing of the 3′ region from three putative members of wheat HSP70 gene family** 641–646
C.P. Joshi, S. Kumar, H.T. Nguyen

**Molecular cloning of a cDNA encoding diacylglycerol kinase (DGK) in *Arabidopsis thaliana*** 647–653
T. Katagiri, T. Mizoguchi, K. Shinozaki

**Characterization of a maize ribosomal P2 protein cDNA and phylogenetic analysis of the P1/P2 family of ribosomal proteins** 655–658
M.L. Goddemeier, S.A. Rensing, G. Feix

*Short communications*

**The cyanobacterial genome contains a single copy of the *ffh* gene encoding a homologue of the 54 kDa subunit of signal recognition particle** 659–665
J.C.L. Packer, C.J. Howe

**Occurrence of silent RNA editing in chloroplasts: its species specificity and the influence of environmental and developmental conditions** 667–672
T. Hirose, H. Fan, J.Y. Suzuki, T. Wakasugi, T. Tsudzuki, H. Kössel, M. Sugiura

**A recombinant wheat serpin with inhibitory activity** 673–677
S.K. Rasmussen, S.W. Dahl, A. Nørgård, J. Hejgaard

**Requirement of a CCGAC *cis*-acting element for cold induction of the *BN115* gene from winter *Brassica napus*** 679–684
C. Jiang, B. Iu, J. Sing

*Sequence announcements* 685

*Volume 30 No. 4 February (II) 1996*

*Research articles*

**A novel phloem-specific gene is expressed preferentially in aerial portions of *Vicia faba*** 687–695
R.C. Foley, Z.M. Liang, K.B. Singh

**Isolation and characterization of cDNAs encoding xylogenesis-associated and wounding-induced ribonucleases in *Zinnia elegans*** 697–709
Z.-H. Ye, D.L. Droste

**Phenylalanine ammonia-lyase gene structure, expression, and evolution in *Nicotiana*** 711–722
T. Fukasawa-Akada, S-d. Kung, J.C. Watson

**A distictly regulated protein repair L-isoaspartylmethyltransferase from *Arabidopsis thaliana*** 723–737
M.B. Mudgett, S. Clarke

**A senescence-associated gene of *Arabidopsis thaliana* is distinctively regulated during natural and artificially induced leaf senescence** 739–754
S.A. Oh, S.Y. Lee, I.K. Chung, C.-H. Lee, H.G. Nam

**Isolation and analysis of cDNAs encoding tomato cysteine proteases expressed during leaf senescence** 755–767
R. Drake, I. John, A. Farrell, W. Cooper, W. Schuch, D. Grierson

**Mitochondrial and chloroplast targeting sequences in tandem modify protein import specificity in plant organelles** 769–780
M. de Castro Silva Filho, F. Chaumont, S. Leterme, M. Boutry

**The C-terminal KDEL sequence increases the expression level of a single-chain antibody designed to be targeted to both the cytosol and the secretory pathway in transgenic tobacco** 781–793
A. Schouten, J. Roosien, F.A. van Engelen, G.A.M. de Jong, A.W.M. Borst-Vrenssen, J.F. Zilverentant, D. Bosch, W.J. Stiekema, F.J. Gommers, A. Schots, J. Bakker

**Microsequencing and cDNA cloning of the Calvin cycle/OPPP enzyme ribose-5-phosphate isomerase (EC 5.3.1.6) from spinach chloroplasts** 795–805
W. Martin, K. Henze, J. Kellermann, A. Flechner, C. Schnarrenberger

**Cloning and characterization of the cDNA for lycopene β-cyclase from tomato reveals decrease in its expression during fruit ripening** 807–819
I. Pecker, R. Gabbay, F.X. Cunningham Jr., J. Hirschberg

**Hormonal regulation of *S*-adenosylmethionine synthase transcripts in pea ovaries** 821–832
L. Gómez-Gómez, P. Carrasco

*Short Communication*

**cDNA cloning and gene expression of ascorbate oxidase in tobacco** 833–837
N. Kato, M. Esaka

**Isolation and characterization of an auxin-inducible glutathione *S*-transferase gene of *Arabidopsis thaliana*** 839–844
D.A.M. van der Kop, M. Schuyer, B. Scheres, B.J. van der Zaal, P.J.J. Hooykaas

**A cyanobacterial *narB* gene encodes a ferredoxin-dependent nitrate reductase** 845–850
L.M. Rubio, A. Herrero, E. Flores

*Volume 30 No. 5 March (I) 1996*

*Mini-review*

**Seeing blue: the discovery of cryptochrome** 851–861
M. Ahmad, A.R. Cashmore

*Research Articles*

**Expression analysis of a sucrose synthase gene from sugar beet (*Beta vulgaris* L.)** 863–872
H. Hesse, L. Willmitzer

**Expression of protein disulfide isomerase is elevated in the endosperm of the maize *floury*-2 mutant** 873–882
C.P. Li and B.A. Larkins

**Molecular cloning and characterization of asparagine synthetase from *Lotus japonicus*: Dynamics of asparagine synthesis in N-sufficient conditions** 883–897
R.N. Waterhouse, A.J. Smyth, A. Massonneau, I.M. Prosser, D.T. Clarkson

**An endochitinase gene expressed at high levels in the stylar transmitting tissue of tomatoes** 899–911
K. Harikrishna, R. Jampates-Beale, S.B. Milligan, C.S. Gasser

**Isolation, characterization and expression of the maize *Cat 2* catalase gene** 913–924
L. Guan, A.N. Polidoros, J.G. Scandalios

**Degradation of mistargeted OEE33 in the chloroplast stroma** 925–933
T. Halperin, Z. Adam

**Cloning and characterization of cDNA encoding farnesyl diphosphate synthase from rubber tree (*Hevea brasiliensis*)** 935–945
K. Adiwilaga, A. Kush

**A low-temperature-responsive gene from barley encodes a protein with single-stranded nucleic acid-binding activity which is phosphorylated *in vitro*** 947–959
M.A. Dunn, K. Brown, R. Lightowlers, M.A. Hughes

**Accumulation of cytosolic glyceraldehyde-3-phosphate dehydrogenase RNA under biological stress conditions and elicitor treatments in potato** 961–972
A.M. Laxalt, R.O. Cassia, P.M. Sanllorenti, E.A. Madrid, A.B. Andreu, G.R. Daleo, R.D. Conde, L. Lamattina

**Characterization of a cDNA encoding a proline-rich 14kDa protein in developing cortical cells of the roots of bean (*Phaseolus vulgaris*) seedlings** 973–982
D.-W. Choi, J.Y. Song, Y.M. Kwon, S.-G. Kim

**Molecular analysis of two functional homologues of the $S_3$ allele of the *Papaver rhoeas* self-incompatibility gene isolated from different populations** 983–994
E.A. Walker, J.P. Ride, S. Kurup, V.E. Franklin-Tong, M.J. Lawrence, F.C.H. Franklin

**Molecular cloning of a sulfotransferase in *Arabidopsis thaliana* and regulation during development and in response to infection with pathogenic bacteria** 995–1008
C. Lacomme, D. Roby

**Cloning and initial characterization of 14 *myb*-related cDNAs from tomato (*Lycopersicon esculentum* cv. Ailsa Graig)** 1009–1020
Q. Lin, W.D.O. Hamilton, A. Merryweather

**Isolation and characterization of a Tridordeum cDNA encoding *S*-adenosyl-methionine decarboxylase that is circadian-clock-regulated** 1021–1033
T. Dresselhaus, P. Barcelo, C. Hagel, H. Lörz, K. Humbeck

**Isolation and characterisation of full-length cDNA clones of the giant taro (*Alocasia macrorrhiza*) trypsin/chymotrypsin inhibitor** 1035–1039
A. Mathews, D.J. Llewellyn, Y. Wu, E.S. Dennis

*Short Communication*

**Cloning and characterisation of an *Arabidopsis thaliana* clone encoding an organellar isoform of serine acetyltransferase** 1041–1049
M.A. Roberts, J.L. Wray

**Isolation by PCR of a cDNA clone from pea petals with similarity to petunia and wheat zinc finger proteins** 1051–1058
A.J. Michael, J.M.I. Hofer, T.H. Noel Ellis

**Isolation of a root-specific cDNA encoding a ns-LTP-like protein from the roots of bean (*Phaseolus vulgaris* L.) seedlings** 1059–1066
D.-W. Choi, J.Y. Song, M.-H. Oh, J.S. Lee, J. Moon, S.W. Suh, S.-G. Kim

**Comparison of the expression patterns of genes coding for wheat gluten proteins and proteins involved in the secretory pathway in developing caryopses of wheat** 1067–1073
B. Grimwade, A.S. Tatham, R.B. Freedman, P.R. Shewry, J.A. Napier

*Sequence announcements* 1075–1077

*Volume 30 No. 6 March (II) 1996*

*Mini-Review*

**Arabinogalactan proteins and plant differentiation** 1077–1086
M. Krueger, G.-J. van Holst

*Research articles*

**The starch phosphorylase gene is subjected to different modes of regulation in starch-containing tissues of potato** 1087–1098
B. St-Pierre, C. Bertrand, A. Camriand, M. Cappadocia, N. Brisson

**High-resolution mapping of repetitive DNA by *in situ* hybridization: molecular and chromosomal features of prominent dispersed and discretely localized DNA families from the wild beet species *Beta procumbens*** 1099–1114
T. Schmidt, J.S. Heslop-Harrison

**Post-germination-induced and hormonally dependent expression of low-molecular-weight heat shock protein genes in Douglas fir** 1115–1128
K.H. Kaukinen, T.J. Tranbarger, S. Misra

**Calcium-dependent protein kinase gene expression in response to physical and chemical stimuli in mungbean (*Vigna radiata*)** 1129–1137
J.R. Botella, J.M. Arteca, M. Somodevilla, R.N. Arteca

**Molecular cloning, *in vitro* expression and characterization of a plant squalene synthetase cDNA** 1139–1151
K.M. Hanley, O. Nicolas, T.B. Donaldson, C. Smith-MOnroy, G.W. Robinson, G.M. Hellmann

**The expression pattern of alfalfa *fiavanone 3-hydroxylase* promoter-*gus* fusion in *Nicotiana benthamiana* correlates with the presence of flavonoids detected *in situ*** 1153–1168
B. Charrier, C. Leroux, A. Kondorosi, P. Ratet

**Expression of the type 2 metallothionein-like gene *MT2* from *Arabidopsis thaliana* in $Zn^{2+}$-metallothionein-deficient *Synechococcus* PCC 7942: putative role for MT2 in $Zn^{2+}$ metabolism** 1169–1179
N.J. Robinson, J.R. Wilson, J.S. Turner

**Isolation and characterization of two cDNA clones for mRNAs that are abundantly expressed in immature anthers of rice (*Oryza sataiva* L.)** 1181–1193
Y. Ihara, C. Hara, H. Uchimiya

**RNA-binding proteins of 37/38 kDA bind specifically to the barley chloroplast *psbA* 3'-end untranslated RNA** 1195–1205
A.R. Memon, B. Meng, J.E. Mullet

**Characterization of common *cis*-regulatory elements responsible for the endosperm-specific expression of members of the rice glutelin multigene family** 1207–1221
F. Takaiwa, U. Yamanouchi, T. Yoshihara, H. Washida, F. Tanabe, A. Kato, K. Yamada

**Evolutionary conservation and expression patterns of maize starch branching enzyme I and IIb genes suggests isoform specialization** 1223–1232
M. Gao, D.K. Fisher, K.-N. Kim, J.C. Shannon, M.J. Guiltinan

**Induction of cysteine and serine proteases during xylogenesis in *Zinna elegans*** 1233–1246
Z.-H. Ye, J.E. Varner

**Identification of tissue-specific, dehydration-responsive elements in the Trg-31 promoter** 1247–1257
S. Chaudhary, L. Crossland

**Expression of three members of the calcium-dependent protein kinase gene family in *Arabidopsis thaliana*** 1259–1275
Y. Hong, M. Takano, C.-M. Liu, A. gasch, M.-L. Chye, N.-H. Chua

**Sugars act as signal molecules and osmotica to regulate the expression of α-amylase genes and metabolic activities in germinating cereal grains** 1277–1289
S.M. Yu, C.-Ch. Lee, S.-C. Fang, M.-T. Chan, S.-F. Hwa, L.-F. Liu

**A gene for *Brassica napus* extensin is differentially expressed on wounding** 1291–1300
A.H. Shirsat, D. Wieczorek, P. Kozbial

*Short communications*

**cDNA encoding a wheat (*Triticum aestivum* cv. Chinese Spring) glycine-rich RNA-binding protein** 1301–1306
M.J. Guiltinan, X. Niu

**Cloning and characterization of the chlorophyll biosynthesis gene *chlM* from *Synechocystis* PCC 6803 by complementation of a bacteriochlorophyll biosynthesis mutant of *Rhodobacter capsulatus*** 1307–1314
C.A. Smith, J.Y. Suzuki, C.E. Bauer

**Sequence analysis of a cDNA containing the *gag* and *prot* regions of the soybean retrovirus-like element, *SIRE-1*** 1315–1319
Y.-A. Bi, H.M. Laten

**Retrotransposon *BARE*-1 is a major, dispersed component of the barley (*Hordeum vulgare* L.) genome** 1321–1329
A. Suoniemi, K. Anamthawat-Jónsson, T. Arna, A.H. Schulman

**The mRNA for an ETR1 homologue in tomato is constitutively expressed in vegetative and reproductive tissues** 1331–1338
D. Zhou, A.K. Mattoo, M.L., Tucker, P. Kalaitzís

*Instructions to authors* 1339–1342

*Contents of Volume 30* 1343–1351

*Author Index* 1353–1355